

MAT 2377
Winter 2020
Final Exam
April 20, 2020
Time Limit: 3 Hours

Final Examination
Student: LIU X
Version: 90674

Start Time: 2PM EST

This exam contains 20 pages (including this cover page and tables) and 32 questions.

Read carefully: if you submit answers for this online examination, you promise and certify that

- all work done during the assigned exam period will be done entirely by yourself, with no help from others;
- you will not communicate with anybody except the professor during the exam, for exam- and course-related questions;
- you will not consult any people, sources, or writings other than the course textbook, your self-made review sheets, your course notes, your prepared answers, the course documents made available on Brightspace, and the exam itself;
- you will not provide information related to the exam's contents to other people until 24 hours after the exam is over.

Obviously, we do not have a way to monitor your adherence to these instructions (nor do we really wish to look for one); we will be asking, instead, for your word of honour that you will follow the directives and work on this examination alone.

Multiple choice questions and true or false question are worth 1 mark each; short answer questions, 2 marks. There are no part marks. For each question, record your answer in the corresponding space on the answer sheet that has been provided separately (save your file regularly). For multiple choice questions, select the closest answer among the options, when appropriate; for short answer questions, provide an answer to at least 2 decimals.

IMPORTANT: every student has been assigned a different exam (based on the last 5 digits of your student number). You need to answer the questions of the final exam that has been specifically assigned to you.

When you have answered all the questions and you are ready to upload the answers to Brightspace, save your answers to the file **Answer_Sheet_90674.pdf**. We suggest that you print and scan or take a screenshot (with time stamp) of your completed answer sheet before uploading to Brightspace (see the appropriate location in the “Assignment” section where you uploaded your 3rd assignment), and that you keep a copy of these documents (with time stamp). Should Brightspace's upload functionality not work when you are ready to submit, wait a little bit and try again; as a last recourse, please email your answer sheet with saved answers to pboily@uottawa.ca if you are registered in section A or iyadegar@uottawa.ca if you are registered in section B.

No worries. You've got this.

1. Multiple Choice Question

Consider the discrete random variables X and Y with the following joint probability mass function:

x	y	$f_{XY}(x, y)$
-1	0	1/8
0	-1	1/4
0	1	1/4
1	0	1/8
-1	1	1/8
1	-1	1/8

What are the mean and the variance of X ?

A. 0; 0.25 B. 0; 0.5 C. 0.1; 0.5 D. 0.5; 0.5 E. none of the preceding

2. Multiple Choice Question

The service time at a customer service counter has a mean of 176 seconds with a variance of 400. A random sample of 100 clients is selected. What is the approximate probability that the sample mean will fall between 175 and 177 seconds?

A. 0.691 B. 0.383 C. 0.277 D. 0.288 E. none of the preceding


3. Multiple Choice Question

Let X be a continuous random variable with density $f(x) = e^{-3x}$, $x > a$. Find a .

A. $(\ln 3)/3$ B. $-(\ln 3)/3$ C. 0 D. 3 E. none of the preceding

4. Multiple Choice Question

Consider the following boxplots:



It appears that the dispersion of

- A. the first sample is the largest
- B. the second sample is the largest
- C. the first and second sample is the same
- D. both samples cannot be compared
- E. none of the preceding

5. Multiple Choice Question

Studies show that 12% of all patients treated in the ER are admitted to stay overnight. Of the patients treated, 1% have an adverse drug reaction and 12.4% are admitted overnight or have an adverse drug reaction. We select a patient at random. What is the probability that the patient will have an adverse drug reaction but won't be admitted overnight?

- A. 0.006 B. 0.5 C. 0.875 D. 0.004 E. 0.114

6. Multiple Choice Question

Previous experience has shown that the breaking strength of the fabric used in a certain brand of drapes is normally distributed with a mean of 97 pounds per square inch. A random sample of 9 specimens is examined to reveal an average breaking strength of $\bar{x} = 98$ pounds per square inch and a standard deviation of 2 pounds per square inch are observed. The p -value to test the hypothesis that the true mean is not 97 is between

- A. (0.05,0.1) B. (0.1,0.2) C. (0.025,0.05) D. [0,0.025)
 E. none of the preceding

7. Multiple Choice Question

Consider the following sample: 16, 13, 10, 17, 16, 14, 5, 12, 15, 8, 9, 10, 15, 22, 8. Calculate the mean and median of the sample, respectively.

- A. 11.67; 12.5 B. 190.0; 13 C. 12.667; 12.5 D. 12.667; 13
E. none of the preceding

8. Multiple Choice Question

Consider two independent populations with the following means and variances: $\mu_1, \mu_2, \sigma_1^2, \sigma_2^2$. To estimate the difference $\theta = \mu_1 - \mu_2$, we use $\hat{\Theta} = \bar{X} - \bar{Y}$, where $\bar{X}$ and $\bar{Y}$ are the sample means from the respective populations, based on samples of sizes n_1, n_2 , respectively. Which of the following statements is true?

- A. $E[\hat{\Theta}] = \theta$ and $\text{Var}[\hat{\Theta}] = \sigma_1^2/n_1 + \sigma_2^2/n_2$
B. $E[\hat{\Theta}] \neq \theta$ and $\text{Var}[\hat{\Theta}] = \sigma_1^2/n_1 + \sigma_2^2/n_2$
C. $E[\hat{\Theta}] = \theta$ and $\text{Var}[\hat{\Theta}] = \sigma_1^2/n_1 - \sigma_2^2/n_2$
D. $E[\hat{\Theta}] \neq \theta$ and $\text{Var}[\hat{\Theta}] = \sigma_1^2/n_1 - \sigma_2^2/n_2$
E. none of the preceding

9. Multiple Choice Question

Trucks arrive at a loading/unloading station according to a Poisson process with a rate of 2 trucks per hour. A truck just arrived at the station. A station employee would like to know if he has enough time to take a break. Let the random variable T represent the waiting time (in hours) until the next truck arrival. What is the probability that the employee has 15 minutes until the next arrival (that is, determine $P(T > 0.25)$)?

- A. 0.5 B. 0.3435 C. 0.6065 D. 0.7788 E. none of the above

10. Multiple Choice Question

An expert wishes to determine the average time (in seconds) required to drill holes in some metal flange. Determine the required sample size to be 99% certain that the sample mean will be within 15 seconds of the true average, assuming that the standard deviation of the time is $\sigma = 30$ seconds.

- A. 26 B. 27 C. 28 D. 29 E. none of the preceding

11. Multiple Choice Question

An engineer measures the weights (in kilograms) of steel pieces. They would like to test $H_0 : \mu = 5$ against $H_1 : \mu > 5$. The weights follow a normal distribution with variance 16. Using a sample of size $n = 25$, the engineer decides to reject H_0 if $\bar{x} > 6$. Determine the probability of committing an error of Type I error.

- A. 0.0500 B. 0.1057 C. 0.8943 D. 0.1000 E. none of the preceding

12. Multiple Choice Question

Assume that the yearly rainfall in Winnipeg is normally distributed with mean 35.4 inches and standard deviation 4.2 inches. A university student is in Winnipeg for 4 years. Assume that yearly rainfall are independent. Let $D = X_1 - X_4$ be the difference of the rainfall in year 1 and in year 4. Compute the mean and the standard deviation of D , respectively.

- A. 0; 8.4 B. 0; 5.9 C. 0; 0 D. -35.4; 5.9 E. -35.4; 8.4


13. Multiple Choice Question

Consider the following random sample: 5, 34, 12, 10, 4. Calculate the mean and variance of the sample, respectively.

- A. 13; 149 B. 13; 119.2 C. 12; 119.2 D. 13; 12.2
E. none of the preceding

14. Multiple Choice Question

Consider the following system with four components. It operates only if there is a path of functional components from left to the right. The probability that each component functions is as shown. What is the probability that the circuit operates? Assume independence.



- A. 0.32 B. 0.16 C. 0.035 D. 0.68 E. none of the preceding

15. Multiple Choice Question

The air pressure in a random tire on a certain new car model is normally distributed with a mean of 31lb/in² and a standard deviation of 0.5lb/in². What is the probability that the pressure of a randomly selected tire falls between 30.5 and 31.5 lb/in²?

- A. 0.6827 B. 0.3173 C. 0.5000 D. 0.4245 E. none of the preceding

16. Multiple Choice Question

A machine produces metal pieces which are cylindrical in shape. We select a sample of nine pieces and measure the diameters:

$$1.01, 0.97, 1.03, 1.04, 0.99, 0.98, 0.99, 1.01, 1.03$$

The sample and sample standard deviation are $\bar{x} = 1.00556$ and $s = 0.02455$, respectively. Give a 95% confidence interval for the true mean diameter, assume that the population is normal.

- A. [0.989,1.022] B. [0.978,1.033] C. [0.991,1.034] D. [0.987,1.024]
E. none of the preceding

17. Multiple Choice Question

It is known that a particular company produces products of which 30% are defective. We select items at random and identify it as being defective or not. Calculate the probability that the sixth selected item will be the 3rd defective.

- A. 0.38282 B. 0.09261 C. 0.24518 D. 0.75494 E. none of the above

18. Multiple Choice Question

Previous experience has shown that the fracture resistance of a wire used in the manufacture of drapery is normally distributed with $\sigma^2 = 2$. A random sample of 25 specimens have been examined and they yielded a mean resistance of $\bar{x} = 98$ psi. Give a 95% confidence interval for the mean resistance.

- A. [97.216,98.784] B. [97.216,98.554] C. [97.456,98.784] D. [97.446,98.554]
E. none of the preceding

19. Multiple Choice Question

Suppose X is a random variable with probability mass function

$$f(x) = \begin{cases} k & \text{if } x = 0 \\ k & \text{if } x = 1 \\ 14/25 & \text{if } x = 3 \end{cases}$$

Find k .

- A. 11/50 B. 11/25 C. 22/25 D. 22/50 E. none of the preceding

20. Multiple Choice Question

A company has four technicians. The technicians T1, T2, T3 and T4 repair 20%, 15%, 50% and 15% of failures, respectively. Suppose that these technicians do not complete their repairs in 3%, 1%, 2% and 1% cases, respectively. If a repair has not been completed, what is the probability that this job was conducted by technician T1?

- A. 0.019 B. 0.05 C. 0.316 D. 0.20 E. none of the preceding

21. True or False Question

Let X and Y be random variables with joint density function

$$f(x, y) = \begin{cases} 6y & 0 < y \leq x < 1 \\ 0 & \text{otherwise} \end{cases}$$

The marginal density of Y is $f_Y(y) = 3y(1 - y)$, for $0 < y < 1$.

True False

22. True or False Question

The University of Ottawa is interested in offering its employees one of two employee benefit packages. A random sample of the university's employees is collected, and each person in the sample is asked to rate each of the two packages on an overall preference scale of 0 to 100. The results are

package A: 45, 67, 63, 50, 77, 60, 47, 39, 56, 68, 70

package B: 56, 79, 60, 45, 85, 39, 50, 41, 50, 69, 82

After analyzing the data, the University concludes that its employees prefer, on average, one package over the other, i.e., there is a significant difference between the two packages, at significance level $\alpha = 0.05$.

True False

23. True or False Question

A new treatment has been developed for a certain type of cement. To test the null hypothesis that $\mu = 5000$ against the alternative that $\mu \neq 5000$, where μ is the mean resistance in kg/cm^2 , a sample of 50 samples of cement is examined and we observe $\bar{x} = 4775$ and $s = 130$. At $\alpha = 0.05$, the evidence against the null hypothesis in favour of the alternative hypothesis is significant.

True False

24. True or False Question

In order to establish a control chart for the mean of a process, 20 samples each of size 4 are collected. We note that $\sum_{i=1}^{20} \bar{x}_i = 4000$ and $\sum_{i=1}^{20} s_i = 500$. The value of the upper control limit of the chart for the mean is approximately equal to 204.5.

True False

25. Short Answer Question

We have $m = 5$ preliminary samples of size $n = 3$ (some numbers have unfortunately been erased by accident by a clumsy co-op student):

i	$x_{i,1}$	$x_{i,2}$	$x_{i,3}$	$\bar{x}_i$	r_i	s_i
1	27.1	29.4		27.9		1.3
2	30.6	32.5	32.4	31.83	1.9	1.07
3	25.7	35.5	30	30.4		4.91
4	31.1	23.2	25	26.43	7.9	
5	24.1	34.2	27.4	28.57	10.1	5.15
total:				145.13	32	16.57

What is the control chart (give the interval) for $\bar{X}$ from $\bar{S}$?

26. Short Answer Question

We have a dataset with $n = 10$ pairs of observations (x_i, y_i) , and

$$\begin{aligned} \sum_{i=1}^n x_i &= 683, \quad \sum_{i=1}^n y_i = 813, \\ \sum_{i=1}^n x_i^2 &= 47,405, \quad \sum_{i=1}^n x_i y_i = 56,089, \quad \sum_{i=1}^n y_i^2 = 66,731. \end{aligned}$$

What is the coefficient of correlation for this data?

27. Short Answer Question

We have a dataset with $n = 10$ pairs of observations (x_i, y_i) , and

$$\begin{aligned} \sum_{i=1}^n x_i &= 683, \quad \sum_{i=1}^n y_i = 813, \\ \sum_{i=1}^n x_i^2 &= 47,405, \quad \sum_{i=1}^n x_i y_i = 56,089, \quad \sum_{i=1}^n y_i^2 = 66,731. \end{aligned}$$

What is an approximate 95% confidence interval for the slope of the line of best fit?

28. Short Answer Question

We have a dataset with $n = 10$ pairs of observations (x_i, y_i) , and

$$\begin{aligned}\sum_{i=1}^n x_i &= 683, \quad \sum_{i=1}^n y_i = 813, \\ \sum_{i=1}^n x_i^2 &= 47,405, \quad \sum_{i=1}^n x_i y_i = 56,089, \quad \sum_{i=1}^n y_i^2 = 66,731.\end{aligned}$$

What is an approximate 99% prediction interval for the response y_0 at $x_0 = 90$?

29. Short Answer Question

We have a dataset with $n = 10$ pairs of observations (x_i, y_i) , and

$$\begin{aligned}\sum_{i=1}^n x_i &= 683, \quad \sum_{i=1}^n y_i = 813, \\ \sum_{i=1}^n x_i^2 &= 47,405, \quad \sum_{i=1}^n x_i y_i = 56,089, \quad \sum_{i=1}^n y_i^2 = 66,731.\end{aligned}$$

What is an approximate 99% confidence interval for the mean response at $x_0 = 90$?

30. Short Answer Question

We have a dataset with $n = 10$ pairs of observations (x_i, y_i) , and

$$\begin{aligned}\sum_{i=1}^n x_i &= 683, \quad \sum_{i=1}^n y_i = 813, \\ \sum_{i=1}^n x_i^2 &= 47,405, \quad \sum_{i=1}^n x_i y_i = 56,089, \quad \sum_{i=1}^n y_i^2 = 66,731.\end{aligned}$$

What is an approximate 95% confidence interval for the intercept of the line of best fit?

31. Short Answer Question

We have $m = 5$ preliminary samples of size $n = 3$ (some numbers have unfortunately been erased by accident by a clumsy co-op student):

i	$x_{i,1}$	$x_{i,2}$	$x_{i,3}$	$\bar{x}_i$	r_i	s_i
1	27.1	29.4		27.9		1.3
2	30.6	32.5	32.4	31.83	1.9	1.07
3	25.7	35.5	30	30.4		4.91
4	31.1	23.2	25	26.43	7.9	
5	24.1	34.2	27.4	28.57	10.1	5.15
total:				145.13	32	16.57

What is the control chart (give the interval) for $\bar{X}$ from $\bar{R}$?

32. Short Answer Question

We have a dataset with $n = 10$ pairs of observations (x_i, y_i) , and

$$\sum_{i=1}^n x_i = 683, \quad \sum_{i=1}^n y_i = 813,$$

$$\sum_{i=1}^n x_i^2 = 47,405, \quad \sum_{i=1}^n x_i y_i = 56,089, \quad \sum_{i=1}^n y_i^2 = 66,731.$$

What is the line of best fit for this data?

Table A.1 (continued) Binomial Probability Sums $\sum_{x=0}^r b(x; n, p)$

<i>n</i>	<i>r</i>	<i>p</i>									
		0.10	0.20	0.25	0.30	0.40	0.50	0.60	0.70	0.80	0.90
8	0	0.4305	0.1678	0.1001	0.0576	0.0168	0.0039	0.0007	0.0001	0.0000	
	1	0.8131	0.5033	0.3671	0.2553	0.1064	0.0352	0.0085	0.0013	0.0001	
	2	0.9619	0.7969	0.6785	0.5518	0.3154	0.1445	0.0498	0.0113	0.0012	0.0000
	3	0.9950	0.9437	0.8862	0.8059	0.5941	0.3633	0.1737	0.0580	0.0104	0.0004
	4	0.9996	0.9896	0.9727	0.9420	0.8263	0.6367	0.4059	0.1941	0.0563	0.0050
	5	1.0000	0.9988	0.9958	0.9887	0.9502	0.8555	0.6846	0.4482	0.2031	0.0381
	6		0.9999	0.9996	0.9987	0.9915	0.9648	0.8936	0.7447	0.4967	0.1869
	7		1.0000	1.0000	0.9999	0.9993	0.9961	0.9832	0.9424	0.8322	0.5695
	8				1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
9	0	0.3874	0.1342	0.0751	0.0404	0.0101	0.0020	0.0003	0.0000		
	1	0.7748	0.4362	0.3003	0.1960	0.0705	0.0195	0.0038	0.0004	0.0000	
	2	0.9470	0.7382	0.6007	0.4628	0.2318	0.0898	0.0250	0.0043	0.0003	0.0000
	3	0.9917	0.9144	0.8343	0.7297	0.4826	0.2539	0.0994	0.0253	0.0031	0.0001
	4	0.9991	0.9804	0.9511	0.9012	0.7334	0.5000	0.2666	0.0988	0.0196	0.0009
	5	0.9999	0.9969	0.9900	0.9747	0.9006	0.7461	0.5174	0.2703	0.0856	0.0083
	6	1.0000	0.9997	0.9987	0.9957	0.9750	0.9102	0.7682	0.5372	0.2618	0.0530
	7		1.0000	0.9999	0.9996	0.9962	0.9805	0.9295	0.8040	0.5638	0.2252
	8			1.0000	1.0000	0.9997	0.9980	0.9899	0.9596	0.8658	0.6126
	9					1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
10	0	0.3487	0.1074	0.0563	0.0282	0.0060	0.0010	0.0001	0.0000		
	1	0.7361	0.3758	0.2440	0.1493	0.0464	0.0107	0.0017	0.0001	0.0000	
	2	0.9298	0.6778	0.5256	0.3828	0.1673	0.0547	0.0123	0.0016	0.0001	
	3	0.9872	0.8791	0.7759	0.6496	0.3823	0.1719	0.0548	0.0106	0.0009	0.0000
	4	0.9984	0.9672	0.9219	0.8497	0.6331	0.3770	0.1662	0.0473	0.0064	0.0001
	5	0.9999	0.9936	0.9803	0.9527	0.8338	0.6230	0.3669	0.1503	0.0328	0.0016
	6	1.0000	0.9991	0.9965	0.9894	0.9452	0.8281	0.6177	0.3504	0.1209	0.0128
	7		0.9999	0.9996	0.9984	0.9877	0.9453	0.8327	0.6172	0.3222	0.0702
	8		1.0000	1.0000	0.9999	0.9983	0.9893	0.9536	0.8507	0.6242	0.2639
	9				1.0000	0.9999	0.9990	0.9940	0.9718	0.8926	0.6513
	10					1.0000	1.0000	1.0000	1.0000	1.0000	1.0000
11	0	0.3138	0.0859	0.0422	0.0198	0.0036	0.0005	0.0000			
	1	0.6974	0.3221	0.1971	0.1130	0.0302	0.0059	0.0007	0.0000		
	2	0.9104	0.6174	0.4552	0.3127	0.1189	0.0327	0.0059	0.0006	0.0000	
	3	0.9815	0.8389	0.7133	0.5696	0.2963	0.1133	0.0293	0.0043	0.0002	
	4	0.9972	0.9496	0.8854	0.7897	0.5328	0.2744	0.0994	0.0216	0.0020	0.0000
	5	0.9997	0.9883	0.9657	0.9218	0.7535	0.5000	0.2465	0.0782	0.0117	0.0003
	6	1.0000	0.9980	0.9924	0.9784	0.9006	0.7256	0.4672	0.2103	0.0504	0.0028
	7		0.9998	0.9988	0.9957	0.9707	0.8867	0.7037	0.4304	0.1611	0.0185
	8		1.0000	0.9999	0.9994	0.9941	0.9673	0.8811	0.6873	0.3826	0.0896
	9			1.0000	1.0000	0.9993	0.9941	0.9698	0.8870	0.6779	0.3026
	10					1.0000	0.9995	0.9964	0.9802	0.9141	0.6862
	11						1.0000	1.0000	1.0000	1.0000	1.0000

Table A.1 (continued) Binomial Probability Sums $\sum_{x=0}^r b(x; n, p)$

<i>n</i>	<i>r</i>	<i>p</i>									
		0.10	0.20	0.25	0.30	0.40	0.50	0.60	0.70	0.80	0.90
12	0	0.2824	0.0687	0.0317	0.0138	0.0022	0.0002	0.0000			
	1	0.6590	0.2749	0.1584	0.0850	0.0196	0.0032	0.0003	0.0000		
	2	0.8891	0.5583	0.3907	0.2528	0.0834	0.0193	0.0028	0.0002	0.0000	
	3	0.9744	0.7946	0.6488	0.4925	0.2253	0.0730	0.0153	0.0017	0.0001	
	4	0.9957	0.9274	0.8424	0.7237	0.4382	0.1938	0.0573	0.0095	0.0006	0.0000
	5	0.9995	0.9806	0.9456	0.8822	0.6652	0.3872	0.1582	0.0386	0.0039	0.0001
	6	0.9999	0.9961	0.9857	0.9614	0.8418	0.6128	0.3348	0.1178	0.0194	0.0005
	7	1.0000	0.9994	0.9972	0.9905	0.9427	0.8062	0.5618	0.2763	0.0726	0.0043
	8		0.9999	0.9996	0.9983	0.9847	0.9270	0.7747	0.5075	0.2054	0.0256
	9		1.0000	1.0000	0.9998	0.9972	0.9807	0.9166	0.7472	0.4417	0.1109
	10				1.0000	0.9997	0.9968	0.9804	0.9150	0.7251	0.3410
	11					1.0000	0.9998	0.9978	0.9862	0.9313	0.7176
	12						1.0000	1.0000	1.0000	1.0000	1.0000
13	0	0.2542	0.0550	0.0238	0.0097	0.0013	0.0001	0.0000			
	1	0.6213	0.2336	0.1267	0.0637	0.0126	0.0017	0.0001	0.0000		
	2	0.8661	0.5017	0.3326	0.2025	0.0579	0.0112	0.0013	0.0001		
	3	0.9658	0.7473	0.5843	0.4206	0.1686	0.0461	0.0078	0.0007	0.0000	
	4	0.9935	0.9009	0.7940	0.6543	0.3530	0.1334	0.0321	0.0040	0.0002	
	5	0.9991	0.9700	0.9198	0.8346	0.5744	0.2905	0.0977	0.0182	0.0012	0.0000
	6	0.9999	0.9930	0.9757	0.9376	0.7712	0.5000	0.2288	0.0624	0.0070	0.0001
	7	1.0000	0.9988	0.9944	0.9818	0.9023	0.7095	0.4256	0.1654	0.0300	0.0009
	8		0.9998	0.9990	0.9960	0.9679	0.8666	0.6470	0.3457	0.0991	0.0065
	9		1.0000	0.9999	0.9993	0.9922	0.9539	0.8314	0.5794	0.2527	0.0342
	10			1.0000	0.9999	0.9987	0.9888	0.9421	0.7975	0.4983	0.1339
	11				1.0000	0.9999	0.9983	0.9874	0.9363	0.7664	0.3787
	12					1.0000	0.9999	0.9987	0.9903	0.9450	0.7458
	13						1.0000	1.0000	1.0000	1.0000	1.0000
14	0	0.2288	0.0440	0.0178	0.0068	0.0008	0.0001	0.0000			
	1	0.5846	0.1979	0.1010	0.0475	0.0081	0.0009	0.0001			
	2	0.8416	0.4481	0.2811	0.1608	0.0398	0.0065	0.0006	0.0000		
	3	0.9559	0.6982	0.5213	0.3552	0.1243	0.0287	0.0039	0.0002		
	4	0.9908	0.8702	0.7415	0.5842	0.2793	0.0898	0.0175	0.0017	0.0000	
	5	0.9985	0.9561	0.8883	0.7805	0.4859	0.2120	0.0583	0.0083	0.0004	
	6	0.9998	0.9884	0.9617	0.9067	0.6925	0.3953	0.1501	0.0315	0.0024	0.0000
	7	1.0000	0.9976	0.9897	0.9685	0.8499	0.6047	0.3075	0.0933	0.0116	0.0002
	8		0.9996	0.9978	0.9917	0.9417	0.7880	0.5141	0.2195	0.0439	0.0015
	9		1.0000	0.9997	0.9983	0.9825	0.9102	0.7207	0.4158	0.1298	0.0092
	10			1.0000	0.9998	0.9961	0.9713	0.8757	0.6448	0.3018	0.0441
	11				1.0000	0.9994	0.9935	0.9602	0.8392	0.5519	0.1584
	12					0.9999	0.9991	0.9919	0.9525	0.8021	0.4154
	13					1.0000	0.9999	0.9992	0.9932	0.9560	0.7712
	14						1.0000	1.0000	1.0000	1.0000	1.0000

Table A.1 (continued) Binomial Probability Sums $\sum_{x=0}^r b(x; n, p)$

<i>n</i>	<i>r</i>	<i>p</i>									
		0.10	0.20	0.25	0.30	0.40	0.50	0.60	0.70	0.80	0.90
15	0	0.2059	0.0352	0.0134	0.0047	0.0005	0.0000				
	1	0.5490	0.1671	0.0802	0.0353	0.0052	0.0005	0.0000			
	2	0.8159	0.3980	0.2361	0.1268	0.0271	0.0037	0.0003	0.0000		
	3	0.9444	0.6482	0.4613	0.2969	0.0905	0.0176	0.0019	0.0001		
	4	0.9873	0.8358	0.6865	0.5155	0.2173	0.0592	0.0093	0.0007	0.0000	
	5	0.9978	0.9389	0.8516	0.7216	0.4032	0.1509	0.0338	0.0037	0.0001	
	6	0.9997	0.9819	0.9434	0.8689	0.6098	0.3036	0.0950	0.0152	0.0008	
	7	1.0000	0.9958	0.9827	0.9500	0.7869	0.5000	0.2131	0.0500	0.0042	0.0000
	8		0.9992	0.9958	0.9848	0.9050	0.6964	0.3902	0.1311	0.0181	0.0003
	9		0.9999	0.9992	0.9963	0.9662	0.8491	0.5968	0.2784	0.0611	0.0022
	10		1.0000	0.9999	0.9993	0.9907	0.9408	0.7827	0.4845	0.1642	0.0127
	11			1.0000	0.9999	0.9981	0.9824	0.9095	0.7031	0.3518	0.0556
	12				1.0000	0.9997	0.9963	0.9729	0.8732	0.6020	0.1841
	13					1.0000	0.9995	0.9948	0.9647	0.8329	0.4510
	14						1.0000	0.9995	0.9953	0.9648	0.7941
	15							1.0000	1.0000	1.0000	1.0000
16	0	0.1853	0.0281	0.0100	0.0033	0.0003	0.0000				
	1	0.5147	0.1407	0.0635	0.0261	0.0033	0.0003	0.0000			
	2	0.7892	0.3518	0.1971	0.0994	0.0183	0.0021	0.0001			
	3	0.9316	0.5981	0.4050	0.2459	0.0651	0.0106	0.0009	0.0000		
	4	0.9830	0.7982	0.6302	0.4499	0.1666	0.0384	0.0049	0.0003		
	5	0.9967	0.9183	0.8103	0.6598	0.3288	0.1051	0.0191	0.0016	0.0000	
	6	0.9995	0.9733	0.9204	0.8247	0.5272	0.2272	0.0583	0.0071	0.0002	
	7	0.9999	0.9930	0.9729	0.9256	0.7161	0.4018	0.1423	0.0257	0.0015	0.0000
	8	1.0000	0.9985	0.9925	0.9743	0.8577	0.5982	0.2839	0.0744	0.0070	0.0001
	9		0.9998	0.9984	0.9929	0.9417	0.7728	0.4728	0.1753	0.0267	0.0005
	10		1.0000	0.9997	0.9984	0.9809	0.8949	0.6712	0.3402	0.0817	0.0033
	11			1.0000	0.9997	0.9951	0.9616	0.8334	0.5501	0.2018	0.0170
	12				1.0000	0.9991	0.9894	0.9349	0.7541	0.4019	0.0684
	13					0.9999	0.9979	0.9817	0.9006	0.6482	0.2108
	14					1.0000	0.9997	0.9967	0.9739	0.8593	0.4853
	15						1.0000	0.9997	0.9967	0.9719	0.8147
	16							1.0000	1.0000	1.0000	1.0000

Table A.1 (continued) Binomial Probability Sums $\sum_{x=0}^r b(x; n, p)$

<i>n</i>	<i>r</i>	<i>p</i>									
		0.10	0.20	0.25	0.30	0.40	0.50	0.60	0.70	0.80	0.90
17	0	0.1668	0.0225	0.0075	0.0023	0.0002	0.0000				
	1	0.4818	0.1182	0.0501	0.0193	0.0021	0.0001	0.0000			
	2	0.7618	0.3096	0.1637	0.0774	0.0123	0.0012	0.0001			
	3	0.9174	0.5489	0.3530	0.2019	0.0464	0.0064	0.0005	0.0000		
	4	0.9779	0.7582	0.5739	0.3887	0.1260	0.0245	0.0025	0.0001		
	5	0.9953	0.8943	0.7653	0.5968	0.2639	0.0717	0.0106	0.0007	0.0000	
	6	0.9992	0.9623	0.8929	0.7752	0.4478	0.1662	0.0348	0.0032	0.0001	
	7	0.9999	0.9891	0.9598	0.8954	0.6405	0.3145	0.0919	0.0127	0.0005	
	8	1.0000	0.9974	0.9876	0.9597	0.8011	0.5000	0.1989	0.0403	0.0026	0.0000
	9		0.9995	0.9969	0.9873	0.9081	0.6855	0.3595	0.1046	0.0109	0.0001
	10		0.9999	0.9994	0.9968	0.9652	0.8338	0.5522	0.2248	0.0377	0.0008
	11		1.0000	0.9999	0.9993	0.9894	0.9283	0.7361	0.4032	0.1057	0.0047
	12			1.0000	0.9999	0.9975	0.9755	0.8740	0.6113	0.2418	0.0221
	13				1.0000	0.9995	0.9936	0.9536	0.7981	0.4511	0.0826
	14					0.9999	0.9988	0.9877	0.9226	0.6904	0.2382
	15					1.0000	0.9999	0.9979	0.9807	0.8818	0.5182
	16						1.0000	0.9998	0.9977	0.9775	0.8332
	17							1.0000	1.0000	1.0000	1.0000
18	0	0.1501	0.0180	0.0056	0.0016	0.0001	0.0000				
	1	0.4503	0.0991	0.0395	0.0142	0.0013	0.0001				
	2	0.7338	0.2713	0.1353	0.0600	0.0082	0.0007	0.0000			
	3	0.9018	0.5010	0.3057	0.1646	0.0328	0.0038	0.0002			
	4	0.9718	0.7164	0.5187	0.3327	0.0942	0.0154	0.0013	0.0000		
	5	0.9936	0.8671	0.7175	0.5344	0.2088	0.0481	0.0058	0.0003		
	6	0.9988	0.9487	0.8610	0.7217	0.3743	0.1189	0.0203	0.0014	0.0000	
	7	0.9998	0.9837	0.9431	0.8593	0.5634	0.2403	0.0576	0.0061	0.0002	
	8	1.0000	0.9957	0.9807	0.9404	0.7368	0.4073	0.1347	0.0210	0.0009	
	9		0.9991	0.9946	0.9790	0.8653	0.5927	0.2632	0.0596	0.0043	0.0000
	10		0.9998	0.9988	0.9939	0.9424	0.7597	0.4366	0.1407	0.0163	0.0002
	11		1.0000	0.9998	0.9986	0.9797	0.8811	0.6257	0.2783	0.0513	0.0012
	12			1.0000	0.9997	0.9942	0.9519	0.7912	0.4656	0.1329	0.0064
	13				1.0000	0.9987	0.9846	0.9058	0.6673	0.2836	0.0282
	14					0.9998	0.9962	0.9672	0.8354	0.4990	0.0982
	15					1.0000	0.9993	0.9918	0.9400	0.7287	0.2662
	16						0.9999	0.9987	0.9858	0.9009	0.5497
	17						1.0000	0.9999	0.9984	0.9820	0.8499
	18							1.0000	1.0000	1.0000	1.0000

Table A.1 (continued) Binomial Probability Sums $\sum_{x=0}^r b(x; n, p)$

<i>n</i>	<i>r</i>	<i>p</i>									
		0.10	0.20	0.25	0.30	0.40	0.50	0.60	0.70	0.80	0.90
19	0	0.1351	0.0144	0.0042	0.0011	0.0001					
	1	0.4203	0.0829	0.0310	0.0104	0.0008	0.0000				
	2	0.7054	0.2369	0.1113	0.0462	0.0055	0.0004	0.0000			
	3	0.8850	0.4551	0.2631	0.1332	0.0230	0.0022	0.0001			
	4	0.9648	0.6733	0.4654	0.2822	0.0696	0.0096	0.0006	0.0000		
	5	0.9914	0.8369	0.6678	0.4739	0.1629	0.0318	0.0031	0.0001		
	6	0.9983	0.9324	0.8251	0.6655	0.3081	0.0835	0.0116	0.0006		
	7	0.9997	0.9767	0.9225	0.8180	0.4878	0.1796	0.0352	0.0028	0.0000	
	8	1.0000	0.9933	0.9713	0.9161	0.6675	0.3238	0.0885	0.0105	0.0003	
	9		0.9984	0.9911	0.9674	0.8139	0.5000	0.1861	0.0326	0.0016	
	10		0.9997	0.9977	0.9895	0.9115	0.6762	0.3325	0.0839	0.0067	0.0000
	11		1.0000	0.9995	0.9972	0.9648	0.8204	0.5122	0.1820	0.0233	0.0003
	12			0.9999	0.9994	0.9884	0.9165	0.6919	0.3345	0.0676	0.0017
	13			1.0000	0.9999	0.9969	0.9682	0.8371	0.5261	0.1631	0.0086
	14				1.0000	0.9994	0.9904	0.9304	0.7178	0.3267	0.0352
	15					0.9999	0.9978	0.9770	0.8668	0.5449	0.1150
	16					1.0000	0.9996	0.9945	0.9538	0.7631	0.2946
	17						1.0000	0.9992	0.9896	0.9171	0.5797
	18							0.9999	0.9989	0.9856	0.8649
	19							1.0000	1.0000	1.0000	1.0000
20	0	0.1216	0.0115	0.0032	0.0008	0.0000					
	1	0.3917	0.0692	0.0243	0.0076	0.0005	0.0000				
	2	0.6769	0.2061	0.0913	0.0355	0.0036	0.0002				
	3	0.8670	0.4114	0.2252	0.1071	0.0160	0.0013	0.0000			
	4	0.9568	0.6296	0.4148	0.2375	0.0510	0.0059	0.0003			
	5	0.9887	0.8042	0.6172	0.4164	0.1256	0.0207	0.0016	0.0000		
	6	0.9976	0.9133	0.7858	0.6080	0.2500	0.0577	0.0065	0.0003		
	7	0.9996	0.9679	0.8982	0.7723	0.4159	0.1316	0.0210	0.0013	0.0000	
	8	0.9999	0.9900	0.9591	0.8867	0.5956	0.2517	0.0565	0.0051	0.0001	
	9	1.0000	0.9974	0.9861	0.9520	0.7553	0.4119	0.1275	0.0171	0.0006	
	10		0.9994	0.9961	0.9829	0.8725	0.5881	0.2447	0.0480	0.0026	0.0000
	11		0.9999	0.9991	0.9949	0.9435	0.7483	0.4044	0.1133	0.0100	0.0001
	12		1.0000	0.9998	0.9987	0.9790	0.8684	0.5841	0.2277	0.0321	0.0004
	13			1.0000	0.9997	0.9935	0.9423	0.7500	0.3920	0.0867	0.0024
	14				1.0000	0.9984	0.9793	0.8744	0.5836	0.1958	0.0113
	15					0.9997	0.9941	0.9490	0.7625	0.3704	0.0432
	16					1.0000	0.9987	0.9840	0.8929	0.5886	0.1330
	17						0.9998	0.9964	0.9645	0.7939	0.3231
	18						1.0000	0.9995	0.9924	0.9308	0.6083
	19							1.0000	0.9992	0.9885	0.8784
	20								1.0000	1.0000	1.0000





Table A.3 Areas under the Normal Curve

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
−3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
−3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
−3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
−3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
−3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
−2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
−2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
−2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
−2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
−2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
−2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
−2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
−2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
−2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
−2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
−1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
−1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
−1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
−1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
−1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
−1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
−1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
−1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
−1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
−1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
−0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
−0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
−0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
−0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
−0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
−0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
−0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
−0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
−0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
−0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

**Table A.4** Critical Values of the t -Distribution

v	α						
	0.40	0.30	0.20	0.15	0.10	0.05	0.025
1	0.325	0.727	1.376	1.963	3.078	6.314	12.706
2	0.289	0.617	1.061	1.386	1.886	2.920	4.303
3	0.277	0.584	0.978	1.250	1.638	2.353	3.182
4	0.271	0.569	0.941	1.190	1.533	2.132	2.776
5	0.267	0.559	0.920	1.156	1.476	2.015	2.571
6	0.265	0.553	0.906	1.134	1.440	1.943	2.447
7	0.263	0.549	0.896	1.119	1.415	1.895	2.365
8	0.262	0.546	0.889	1.108	1.397	1.860	2.306
9	0.261	0.543	0.883	1.100	1.383	1.833	2.262
10	0.260	0.542	0.879	1.093	1.372	1.812	2.228
11	0.260	0.540	0.876	1.088	1.363	1.796	2.201
12	0.259	0.539	0.873	1.083	1.356	1.782	2.179
13	0.259	0.538	0.870	1.079	1.350	1.771	2.160
14	0.258	0.537	0.868	1.076	1.345	1.761	2.145
15	0.258	0.536	0.866	1.074	1.341	1.753	2.131
16	0.258	0.535	0.865	1.071	1.337	1.746	2.120
17	0.257	0.534	0.863	1.069	1.333	1.740	2.110
18	0.257	0.534	0.862	1.067	1.330	1.734	2.101
19	0.257	0.533	0.861	1.066	1.328	1.729	2.093
20	0.257	0.533	0.860	1.064	1.325	1.725	2.086
21	0.257	0.532	0.859	1.063	1.323	1.721	2.080
22	0.256	0.532	0.858	1.061	1.321	1.717	2.074
23	0.256	0.532	0.858	1.060	1.319	1.714	2.069
24	0.256	0.531	0.857	1.059	1.318	1.711	2.064
25	0.256	0.531	0.856	1.058	1.316	1.708	2.060
26	0.256	0.531	0.856	1.058	1.315	1.706	2.056
27	0.256	0.531	0.855	1.057	1.314	1.703	2.052
28	0.256	0.530	0.855	1.056	1.313	1.701	2.048
29	0.256	0.530	0.854	1.055	1.311	1.699	2.045
30	0.256	0.530	0.854	1.055	1.310	1.697	2.042
40	0.255	0.529	0.851	1.050	1.303	1.684	2.021
60	0.254	0.527	0.848	1.045	1.296	1.671	2.000
120	0.254	0.526	0.845	1.041	1.289	1.658	1.980
∞	0.253	0.524	0.842	1.036	1.282	1.645	1.960

Control Chart Constants

n	A_3	B_3	B_4	A_2	D_3	D_4
4	1.63	0	2.27	0.73	0	2.28
5	1.43	0	2.09	0.58	0	2.11
6	1.29	0.03	1.97	0.48	0	2.00
8	1.10	0.185	1.815	0.37	0.14	1.86
10	0.98	0.28	1.72	0.31	0.22	1.78
20	0.68	0.51	1.49	0.18	0.41	1.59

Sample Size = n	A_2	A_3
2	1.880	2.659
3	1.023	1.954
4	0.729	1.628
5	0.577	1.427
6	0.483	1.287
7	0.419	1.182
8	0.373	1.099
9	0.337	1.032
10	0.308	0.975
11	0.285	0.927
12	0.266	0.886
13	0.249	0.850
14	0.235	0.817
15	0.223	0.789
16	0.212	0.763
17	0.203	0.739
18	0.194	0.718
19	0.187	0.698
20	0.180	0.680
21	0.173	0.663
22	0.167	0.647
23	0.162	0.633
24	0.157	0.619
25	0.153	0.606